


1080P Camera with Floodlight (Draft)




2 MP  Night Vision

Key Features

- 1080p Full HD,
- 270 degree PIR detection range
- IP65
- Adjustable motion sensor, customized detection area
- Built-in microphone and speaker, support two-way audio.
- Built-in micro SD card up to 128 GB
- Build-in dual-antenna for stable Wi-Fi connection
- Human detection with push notification via Laview APP
- Works with Amazon Alexa and IFTTT



Motion Detection - Email Notification



Remote View



1080P Camera with Floodlight

Camera	
Image sensor	1080p
IR Distance	60ft
Camera Angle	140° (Diagonal)
Day & night	IR Cut Filter with auto switch
System	
Processor	High-Performance Embedded SOC Processor
Operation System	Embedded Linux
Wireless	802.11 b/g/n @ 2.4GHz only (2T2R, Dual-antenna)
Network Configuration	Soft AP/Audio Configuration
Audio	
Input	Built-in Omni-direction microphone
Output	Built-in loudspeaker
Audio Quality	Noise suppression and echo cancellation
Video	
Compression Standard	Smart H.264
Max. Resolution	1920 x 1080
Frame Rate	50Hz @ 25fps, 60Hz @ 30fps, Adaptive frame rate of network transmission
BLC	Support
DNR	3D DNR
WDR	True WDR
Interface	
Cloud Storage	Laview Cloud Storage
Local Storage	Micro SD Card (Max. 128G)
PIR	PIR Motion Sensor
Alarm	Customized Alert Area
Intelligence	Human Detection
Siren	100-decibel alarm
General	
Operating conditions	-22° F ~ 122° F (-30° C ~ 50° C) humidity 95% or less (non-condensing)
Power Supply	Hardwired (110-240V)
Power Consumption	TBD
Ingress Protection	IP65
Dimensions	TBD
Weight	TBD

1080P Camera with Floodlight

Light Parameters	
Lamp	2
LED	SMD LED
Brightness	2500LM (+/-10%)
CRI	80
Color Temperature	3000K
Life-span	@B50L70 @Ta 25°C50000H